

AC3310-II - 1080p AHD IR Dome Camera

AC3330-II - 1080p AHD Weatherproof IR Camera



Features

- 2 Megapixel CMOS Sensor
- 1080p AHD output
- 300m cable distance by RG6
- 3.6mm Fixed Lens
- UTC Camera OSD Control
- 3D-DNR, WDR
- TDN (True Day & Night) or Filter Change
- 24 pcs IR LED
- 0 Lux up to 15m
- Wall/Ceiling Mount
- Cable-through bracket
- Vandal Resist Metal Casing



Features

- 2 Megapixel CMOS Sensor
- 1080p TVI output
- 300m cable distance by RG6
- 3.6 / 6mm Fixed Lens
- UTC Camera OSD Control
- 3D-DNR, WDR
- TDN (True Day & Night) or Filter Change
- 24 pcs IR LED
- 0 Lux up to 15m
- Wall/Ceiling Mount
- Cable-through bracket

SPECIFICATION

Model	AC3310-II	AC3330-II
Type	Dome Indoor	Outdoor Weatherproof
Image Sensor	2MP CMOS Sensor	
Resolution	1920x1080 Pixels	
Shuttle	1/25s~1/50,000s	
Lens	M12 3.6mm Fixed Lens	M12 3.6 / 6mm Fixed Lens
Video Output	1080p@25fps AHD	
Day & Night	Filter Change or True Day&Night (TDN)	
Minimum Illumination	0 Lux up to 15m	
LEDs	24nos Φ5 850nm IR LEDs	
S/N ratio	>52 dB	
Casing	Aluminium with Epoxy Powder Coating	
Working Environment	-20° ~ +60°C, Non-Condensing	
Power	12VDC, Max.400mA	
Dimension	108mm(Φ) x 87mm(H), 360g	62mm(Φ) x 163mm(L), 360g

* Specification maybe changed without prior notice